

Table A1.1. Mean stand attributes for the regions of provenance of *Pinus sylvestris*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
2	212	574 (400)	22.4 (7.3)	10.2 (3.6)	20.9 (11.1)	9826 (6131)	663 (859)	50.4 (26.6)	6 (3)
3	408	700 (453)	20.3 (5.8)	10.6 (3.8)	24.6 (15.7)	8343 (4952)	1062 (1326)	32.2 (25.3)	4 (2)
4	376	671 (559)	18.2 (5.6)	8.2 (2.5)	16.7 (10.8)	10226 (4291)	1049 (1193)	41.9 (28.1)	5 (3)
5	354	708 (500)	21.2 (6.4)	10 (3.1)	25.3 (15.7)	10818 (5173)	947 (1334)	23.8 (20.6)	4 (2)
6	426	699 (493)	21 (5.9)	9.8 (2.8)	23.7 (12.1)	7045 (4275)	770 (1041)	25.1 (24.5)	3 (2)
7	707	760 (498)	18.5 (4.7)	10.6 (2.6)	20.2 (10.7)	10930 (5558)	1015 (1068)	36.8 (29.2)	5 (3)
8	396	670 (607)	25 (9.8)	12.4 (4.8)	28.1 (16.9)	2777 (2443)	531 (1461)	34.6 (33)	3 (2)
9	80	629 (584)	21.1 (8.8)	8.9 (4.2)	18.2 (13.5)	3037 (2688)	422 (906)	41.7 (42.1)	3 (2)
10	121	515 (508)	26.6 (8.6)	11 (3.7)	24.4 (14.3)	1505 (1775)	121 (309)	28.3 (30.9)	2 (2)
12	430	495 (458)	23.3 (7.8)	10.4 (3)	18.8 (12.8)	5239 (3396)	483 (917)	26.7 (25.8)	3 (2)
13	24	196 (157)	25.3 (7.9)	8.2 (2.7)	10.7 (10)	3337 (2667)	233 (418)	20.9 (22.7)	3 (2)
14	255	684 (572)	19.5 (5.8)	8.7 (2.4)	18.6 (11.7)	6290 (3435)	677 (971)	18.4 (20.5)	3 (2)
15	27	624 (427)	20.2 (6)	8.6 (1.8)	18.2 (9.2)	10497 (4586)	1193 (925)	28.6 (22.7)	5 (2)
16	21	591 (336)	16.8 (3.6)	7.9 (2)	14.3 (8.5)	12211 (3760)	1085 (627)	68.2 (27)	9 (3)
18	21	901 (499)	15.9 (4.9)	8.1 (3.8)	20.5 (14.4)	819 (1502)	327 (580)	73.7 (28.3)	3 (2)

RP: region of provenance; n: number of plots with basal area of *P. sylvestris* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.2. Mean stand attributes for the regions of provenance of *Pinus nigra*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	63	777 (607)	16.2 (5.2)	8.1 (2.3)	15.9 (11.7)	10047 (4447)	655 (646)	44.3 (25.2)	7 (3)
2	46	801 (647)	16.2 (6.6)	7.7 (2.1)	14.6 (10.2)	9492 (4601)	726 (645)	42.6 (21.9)	5 (2)
3	545	834 (589)	16.7 (5)	9 (2.6)	16.7 (10.2)	9651 (4373)	977 (1020)	45.8 (28.3)	6 (3)
5	52	556 (415)	19 (6.4)	8.8 (2.9)	14.1 (10.7)	7292 (4311)	693 (786)	66.3 (36.3)	8 (3)
6	257	530 (491)	20.8 (7.4)	8.4 (2.4)	15.2 (10.6)	7907 (4575)	789 (955)	33.3 (22.5)	5 (3)
7	1253	458 (502)	20.8 (7.8)	8.8 (3.1)	12.8 (10.6)	5975 (4144)	579 (844)	51.2 (30.4)	5 (2)
8	521	483 (513)	24.1 (12)	8.8 (3.5)	15.7 (11.6)	4988 (3618)	401 (650)	32.8 (21.8)	5 (2)
13	88	599 (518)	16.7 (6.7)	6.4 (1.7)	11.3 (9.1)	1621 (2393)	173 (346)	23.8 (21.3)	4 (2)

RP: region of provenance; n: number of plots with basal area of *P. nigra* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse: number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.3. Stand attributes for the regions of provenance of *Pinus pinaster*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
		669	21.2	7.3	21.8	3475	423	38.1	6
10	28	(571)	(7.3)	(1.9)	(13.1)	(2300)	(586)	(23.8)	(2)
		413	25.9	9.6	18.4	4115	449	51.5	4
11	131	(338)	(9.3)	(3)	(10.5)	(3013)	(708)	(26.3)	(2)
		437	22.3	9.2	15.3	4070	365	75.9	7
12	217	(369)	(6.5)	(2.4)	(11.3)	(3168)	(702)	(39)	(3)
		511	22.3	8.6	20.6	3846	382	49.3	6
13	59	(413)	(7.3)	(2.9)	(12.9)	(2297)	(718)	(31.9)	(3)
		614	20.3	9.1	20.3	5224	624	38.7	4
14	40	(327)	(5)	(2.5)	(10.7)	(3038)	(709)	(28.7)	(3)
		638	19.8	7.8	18.6	4092	455	61.6	7
15	30	(601)	(7.2)	(2.3)	(18)	(2407)	(695)	(35)	(4)
		281	22.1	7.9	9.7	3791	618	72.4	9
16	26	(322)	(8.2)	(2.9)	(9.5)	(2280)	(1831)	(24.9)	(3)
		345	25.8	9.1	15.4	4770	432	51	6
17	239	(314)	(8.7)	(2.7)	(9.8)	(3224)	(795)	(27.5)	(3)
		447	19.6	6.2	11.1	4952	390	39.5	6
18	54	(330)	(6.7)	(1.5)	(6.4)	(3116)	(415)	(23.8)	(2)
		380	25.6	7.9	14.7	2216	209	37.8	5
19	142	(376)	(9.6)	(2.6)	(11.7)	(2614)	(514)	(27)	(3)
		458	22.6	13.3	18	2737	448	81.8	4
1a	1323	(376)	(8.1)	(4.6)	(12.3)	(2316)	(844)	(50.2)	(2)
		596	21	11.2	19.8	1846	465	85.3	4
1b	417	(582)	(8.7)	(4.4)	(17.2)	(2042)	(831)	(49.4)	(2)
		518	23.6	8.9	19.6	1713	381	88.4	4
2	65	(488)	(7.5)	(2.5)	(11.2)	(1504)	(762)	(39.6)	(2)
		318	26	8.4	11.1	2354	295	59.6	8
20	108	(445)	(9.5)	(2.4)	(9.6)	(2006)	(883)	(29.1)	(3)
		538	22.9	8.5	20.4	9650	934	54.6	5
3	85	(408)	(7.7)	(2.1)	(12.9)	(4434)	(1096)	(24.5)	(3)
		541	21	10.1	14.6	2396	660	69.7	5
4	302	(610)	(8.4)	(3.7)	(13.3)	(1817)	(1520)	(36.6)	(2)
		430	25	11.7	15	3007	370	49	4
5	41	(496)	(10.2)	(4.5)	(10)	(2398)	(691)	(47.6)	(3)
		547	26.2	11.9	23.3	1893	248	37.3	4
6	270	(599)	(10)	(4)	(16.3)	(1968)	(688)	(33.2)	(2)
		319	33.2	11.4	18.7	1005	63	52.7	4
7	115	(396)	(13)	(3.5)	(15.1)	(1507)	(217)	(39.5)	(2)
		329	28.6	10.6	16.4	2016	227	23.9	3
8	272	(360)	(9)	(2.9)	(9.9)	(2812)	(708)	(23.5)	(2)
		821	21.2	10.6	32.2	2886	492	52.4	4
9	50	(444)	(6.6)	(3.7)	(19.4)	(2122)	(952)	(34.2)	(3)

RP: region of provenance; n: number of plots with basal area of *P. pinaster* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.4. Stand attributes for the regions of provenance of *Pinus pinea*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
		241	29	8.6	12	2278	206	16.3	3
1	383	(267)	(10.4)	(2.5)	(6.9)	(2670)	(580)	(19.9)	(2)
		160	35.6	9.6	12	3103	177	43.7	4
2	176	(157)	(15.7)	(3.3)	(7.6)	(2157)	(360)	(33.4)	(2)
		328	22.7	7.8	10.7	2986	378	48.3	5
3	54	(232)	(8.2)	(1.8)	(5.7)	(2300)	(696)	(42.9)	(3)
		232	24.8	8.9	9.5	1655	78	53	6
4	423	(211)	(9.8)	(3.6)	(6.7)	(1879)	(261)	(36.7)	(3)
		344	23.3	8.3	11.3	1804	131	48.1	5
5	314	(344)	(9)	(2.7)	(8.1)	(2009)	(330)	(35.5)	(3)
		435	25	9.4	18.7	4927	593	63.8	8
6	104	(378)	(7.6)	(2.6)	(13.2)	(3355)	(850)	(36.4)	(3)

RP: region of provenance; n: number of plots with basal area of *P. pinea* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.5. Stand attributes for the regions of provenance of *Pinus halepensis*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	115	777 (480)	18.2 (5.4)	10.7 (2.2)	18.9 (9.1)	7350 (3962)	928 (908)	96.9 (44.2)	10 (3)
2	271	487 (403)	19 (6.6)	8.8 (2.8)	12.4 (8.5)	7031 (3867)	587 (721)	92.6 (35.8)	11 (4)
3	923	456 (379)	18 (5.8)	8 (2.5)	10.9 (8.2)	6999 (4901)	630 (808)	87.2 (34.5)	10 (4)
4	219	452 (409)	18.2 (6.1)	7.2 (2)	10.5 (7.6)	7791 (5230)	727 (828)	71.3 (31.6)	8 (3)
5	580	406 (383)	17.7 (5.4)	7.2 (1.8)	8.8 (7)	5351 (3709)	520 (687)	68.9 (30.3)	8 (4)
6	413	393 (378)	17.2 (6.6)	6.5 (2.2)	7.7 (6.8)	2854 (2557)	431 (589)	69.4 (30.1)	8 (3)
7	91	346 (296)	21.1 (9.0)	8.1 (2.4)	9.8 (6.7)	5287 (4005)	489 (652)	60.5 (28.1)	6 (2)
8	76	325 (260)	19.5 (7.0)	7.5 (2)	8.6 (6.3)	5645 (3914)	562 (722)	72.9 (39.5)	6 (2)
9	905	347 (333)	20.3 (6.9)	9 (2.5)	9.7 (7.6)	5340 (3535)	423 (788)	77.3 (34.9)	8 (3)
10	1361	322 (295)	19.2 (7.0)	7.8 (2.3)	7.7 (5.9)	3905 (3093)	336 (590)	70.6 (31.5)	9 (3)
11	184	343 (338)	19.5 (7.1)	8.3 (2.3)	8.7 (7.3)	4473 (3059)	393 (769)	71.2 (28.5)	10 (3)
12	214	312 (233)	21.4 (7.4)	8.8 (2.4)	10.4 (6.5)	4617 (2413)	494 (559)	95.5 (36.2)	5 (2)
13	206	291 (247)	16 (5)	6.5 (1.8)	5.2 (3.9)	1123 (1529)	276 (380)	42.4 (25.9)	6 (3)
14	1789	290 (293)	19.7 (7.2)	7.2 (2.1)	7.2 (5.8)	2554 (2613)	252 (436)	58.2 (30.5)	6 (3)
15	408	320 (278)	19.6 (8.4)	6.9 (2.3)	8.3 (6.3)	2454 (2568)	330 (589)	31.2 (22.1)	5 (3)
16	95	332 (251)	24 (8.3)	10.6 (3.3)	13.6 (8)	4884 (3205)	458 (837)	51.9 (26.2)	8 (3)
17	343	393 (366)	21.5 (8.5)	8.5 (3.1)	11.4 (8.5)	2899 (2520)	258 (569)	48.4 (28.8)	7 (3)
18	323	266 (235)	24.8 (8.4)	10.3 (2.8)	11.2 (7.9)	2755 (2263)	390 (530)	70.1 (43)	4 (2)
19	69	521 (452)	14.9 (4.8)	6.1 (1.8)	8.5 (7.6)	1410 (2003)	458 (786)	38.1 (28.6)	4 (2)
20	64	360 (242)	19.8 (5.9)	9 (2)	11.1 (6.1)	5859 (3540)	585 (758)	92.1 (37)	6 (2)

RP: region of provenance; n: number of plots with basal area of *P. halepensis* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %. Rtree; Rshrub: number of shrub species.

Table A1.6. Stand attributes for the regions of provenance of *Quercus pyrenaica*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	71	437 (458)	21.5 (11.9)	10.1 (3.6)	13.2 (11.1)	3141 (2162)	625 (910)	91.3 (46)	4 (2)
10	225	463 (550)	24.7 (16.5)	10.2 (3.2)	10 (8.1)	3407 (2264)	531 (1026)	36 (33.9)	3 (2)
11	40	435 (519)	20.6 (18.6)	7.7 (2.4)	6.3 (6.2)	3136 (2652)	796 (1363)	35.2 (31.5)	3 (2)
12	203	708 (811)	15.9 (12.1)	7.8 (2.2)	9.9 (9.3)	4062 (2546)	901 (1298)	40 (35.2)	3 (2)
13	29	766 (634)	11 (2.3)	6 (1.3)	7.5 (6.9)	5871 (1881)	984 (1116)	55.3 (36.3)	3 (2)
14	61	555 (546)	18.4 (9.8)	8.3 (2.6)	9.8 (7.1)	3900 (2386)	387 (762)	27.6 (26.5)	3 (3)
2	135	610 (729)	18.8 (10.9)	9.4 (3.3)	11.7 (10.8)	3384 (2402)	915 (1319)	65.1 (42.6)	4 (2)
3	183	428 (438)	17.5 (8.6)	8.6 (2.8)	7.8 (7.0)	3789 (2201)	863 (1312)	59.2 (32.4)	5 (2)
4	446	661 (618)	14.9 (9.3)	7.6 (2.2)	9.8 (9.5)	5024 (2444)	1632 (1919)	55.8 (36.8)	4 (2)
5	181	765 (710)	18.8 (9.4)	9.7 (3.5)	16.9 (12.2)	5623 (3539)	856 (1235)	58.4 (32)	5 (2)
6	479	847 (708)	16.9 (11.6)	8.4 (2.5)	14.6 (10.8)	5552 (3098)	1149 (1359)	55.4 (36.9)	4 (2)
7	141	114 (290)	36.1 (16)	8.4 (2.2)	4.6 (4.0)	2480 (2474)	94 (274)	24.5 (27.7)	2 (2)
8	314	633 (617)	17.7 (10.2)	9.1 (2.9)	10.7 (8.0)	3837 (2090)	615 (1094)	30.9 (27.4)	3 (2)
9	116	449 (547)	24.6 (16.3)	9.5 (2.7)	11.3 (8.8)	2642 (2168)	313 (609)	30.6 (26.8)	3 (2)
C	39	439 (649)	20.9 (10.6)	8.7 (3)	10.5 (12.6)	3997 (2927)	624 (1049)	56.1 (40.1)	4 (2)
D	84	414 (374)	27.5 (16.9)	8.6 (2.6)	16.3 (11.1)	3214 (2559)	563 (995)	59 (35.3)	4 (2)

RP: region of provenance; n: number of plots with basal area of *Q. pyrenaica* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.7. Stand attributes for the regions of provenance of *Quercus faginea*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	390	631 (687)	18.3 (13.5)	7.2 (2.6)	11.2 (10.5)	1315 (1459)	1315 (1459)	60.1 (34.2)	6 (3)
10	173	527 (570)	14.3 (9.7)	6.3 (1.7)	5.9 (5.2)	1088 (1458)	1088 (1458)	49.8 (30.4)	5 (2)
11	46	623 (643)	13.3 (5.1)	6 (1.7)	7.3 (6)	1423 (1454)	1423 (1454)	41.5 (28.9)	5 (2)
15	24	233 (291)	21.5 (13.9)	7.6 (2.3)	3.8 (3.4)	260 (344)	260 (344)	50.2 (43.2)	6 (4)
18	21	75 (104)	49.9 (28.4)	9.4 (2.1)	8.9 (4.4)	231 (371)	231 (371)	69.6 (44.1)	9 (4)
2	260	615 (597)	17.1 (12.3)	6.6 (2.2)	10.1 (9)	940 (1237)	940 (1237)	48.4 (30.3)	5 (3)
3	27	580 (502)	16.4 (8)	8.7 (3.4)	8.1 (6.1)	717 (768)	717 (768)	50.6 (29.2)	6 (3)
6	42	57 (116)	46.5 (16.5)	8.5 (2.5)	4.6 (2.9)	143 (474)	143 (474)	12 (23.7)	2 (2)
7	126	393 (376)	13.5 (8.8)	5.4 (1.5)	4.9 (5.3)	1361 (1442)	1361 (1442)	34.5 (22.1)	4 (2)
8	46	564 (404)	12.9 (7.7)	5.6 (1.6)	6.1 (4.6)	1401 (1308)	1401 (1308)	47.6 (30.4)	4 (2)
9	73	520 (606)	11.4 (3.7)	5.1 (1.3)	4.7 (5.1)	1640 (1594)	1640 (1594)	50 (30.9)	4 (2)
A	40	613 (630)	18.4 (14.3)	7.3 (2.2)	10.4 (8)	1121 (1063)	1121 (1063)	40.8 (22.7)	4 (2)

RP: region of provenance; n: number of plots with basal area of *Q. faginea* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse: number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.8. Stand attributes for the regions of provenance of *Quercus suber*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	49	79 (4)	41.2 (16.6)	8.4 (2)	8.1 (5.2)	2175 (3251)	195 (760)	41.8 (46.6)	4 (3)
2	170	97 (5)	37.8 (14.6)	7.5 (1.7)	7.7 (5.0)	1894 (2130)	129 (468)	48.2 (39.1)	5 (3)
3	79	114 (6)	34.9 (17.4)	7.9 (2.1)	7 (5.7)	3609 (3695)	373 (736)	68.4 (44)	6 (4)
4	21	73 (7)	25.9 (9.1)	5.9 (1.2)	3 (3.7)	4499 (4233)	55 (104)	90 (37.2)	7 (4)
5	300	121 (6)	34.6 (15.2)	7.9 (2.2)	8.3 (5.7)	3428 (3475)	120 (404)	54.1 (47.6)	6 (4)
7	480	207 (8)	33.3 (13.1)	8.2 (2.4)	14.3 (8.8)	4057 (3193)	85 (273)	70.2 (40.9)	8 (3)
8	84	594 (7)	19.5 (6.4)	6.5 (1.5)	16.2 (9.3)	4595 (3044)	425 (486)	83 (25.6)	7 (2)
9	224	609 (8)	18 (5)	6.4 (1.6)	14.8 (9.4)	5772 (4460)	861 (1047)	97.4 (38.7)	8 (3)
H	40	344 (10)	25.1 (19)	6.3 (1.9)	11.1 (7.7)	7013 (3883)	510 (1037)	79 (35.8)	10 (5)

RP: region of provenance; n: number of plots with basal area of *Q. suber* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.9. Stand attributes for the regions of provenance of *Quercus ilex*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
1	634	161 (252)	34.4 (21.1)	6.4 (1.7)	6.1 (4.2)	333 (694)	333 (694)	37.9 (37.9)	3 (3)
10	525	624 (586)	12.6 (6.1)	4.7 (1.1)	6.6 (6.2)	1984 (2212)	1984 (2212)	47.4 (29.8)	6 (3)
11	4811	109 (185)	33.6 (16.3)	6.7 (1.7)	5 (3.3)	170 (537)	170 (537)	25.3 (33)	3 (3)
12	318	358 (473)	15.3 (10.4)	4.9 (1.5)	4 (5.1)	1147 (1512)	1147 (1512)	46.7 (32.9)	4 (3)
13	212	177 (340)	32.4 (18.7)	6.6 (1.8)	5.9 (4.7)	291 (689)	291 (689)	44.8 (34.5)	6 (4)
14	197	339 (380)	16.3 (7.8)	5.1 (1.3)	4.5 (4.1)	753 (1089)	753 (1089)	48.8 (40.3)	6 (4)
15	162	436 (459)	14.1 (5.3)	4.6 (1.1)	5.5 (4.9)	1207 (1479)	1207 (1479)	30.8 (22)	5 (3)
16	153	455 (507)	15.2 (10.1)	4.8 (1.4)	5.8 (5.3)	1161 (1454)	1161 (1454)	40.2 (24.8)	5 (3)
17	67	789 (631)	17.5 (6.2)	6.7 (1.6)	16.3 (8.7)	658 (841)	658 (841)	26 (32.1)	3 (2)
2	291	526 (645)	16.6 (12.7)	5.1 (1.3)	6.1 (5.8)	1804 (2147)	1804 (2147)	34 (27)	4 (2)
3	518	917 (742)	13.5 (7.4)	5.1 (1.3)	12.1 (9.8)	2101 (1992)	2101 (1992)	53.1 (34.6)	5 (3)
4	461	704 (690)	12.7 (4.8)	4.9 (1.2)	7.6 (7.2)	1661 (1753)	1661 (1753)	47.6 (28.4)	5 (2)
5	543	1277 (792)	13.1 (3.7)	6.8 (1.7)	16.6 (9.1)	2039 (1642)	2039 (1642)	69.6 (46.8)	7 (3)
6	77	1028 (792)	12.1 (4.3)	4.9 (1)	10.7 (7.8)	2535 (1994)	2535 (1994)	83.4 (43.8)	8 (4)
7	448	171 (249)	33.8 (23.7)	6 (1.7)	6.1 (4.5)	491 (897)	491 (897)	24 (23.7)	3 (2)
8	645	254 (360)	22.7 (14.3)	6 (1.8)	4.6 (3.5)	517 (904)	517 (904)	31.9 (32.2)	2 (2)
9	340	569 (547)	12 (5.8)	4.9 (1.2)	5.4 (5.1)	1908 (1813)	1908 (1813)	49.9 (30.4)	5 (2)
A	22	390 (570)	16.1 (7.6)	6 (1.6)	6 (8)	822 (1029)	822 (1029)	87.6 (44.7)	6 (3)
C	34	610 (609)	16.4 (6.2)	5.5 (1.5)	10.7 (8.8)	1045 (1106)	1045 (1106)	59 (41)	4 (2)
D	40	831 (922)	18.4 (14.3)	6.9 (2)	12.2 (13)	2213 (2646)	2213 (2646)	53.8 (39)	4 (2)
E	26	1009 (661)	16.2 (4.6)	7.2 (1.7)	20 (11.2)	1186 (1426)	1186 (1426)	74.5 (63.7)	5 (2)
J	34	576 (590)	12.1 (3)	4.7 (1)	6.9 (7.6)	1409 (1915)	1409 (1915)	71.1 (30.5)	8 (3)
K	24	538 (337)	15.2 (4.6)	6.2 (1.6)	9.9 (4.8)	1253 (1502)	1253 (1502)	84 (37.7)	6 (2)

RP: region of provenance; n: number of plots with basal area of *Q. ilex* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare;

Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.

Table A1.10. Stand attributes for the regions of provenance of *Fagus sylvatica*. Standard deviation between brackets.

RP	n	N	Dn	Ht	G	Nse	Nsa	ShCov	Rshrub
		444	32.6	14.2	24.2	2221	394	22.8	2
2	198	(408)	(18.3)	(3.7)	(12.9)	(2150)	(914)	(28)	(2)
		890	19.5	11.2	24.9	3031	862	11.6	2
3	112	(590)	(7.3)	(2.8)	(11.9)	(2447)	(1210)	(18.7)	(2)
		183	43	15.3	15.1	3184	100	23.4	3
4	23	(169)	(25.9)	(6.2)	(11.6)	(3614)	(258)	(22.5)	(3)
		605	28	13.3	26.1	2026	503	23.9	2
5	179	(592)	(15.4)	(4.4)	(11.4)	(1883)	(1078)	(32)	(2)
		612	26.5	15.8	24.2	6571	1151	21.1	3
6	111	(632)	(11.4)	(5)	(11.2)	(4542)	(1490)	(22.6)	(2)
		484	31.5	17.3	28.3	2356	303	13.4	2
7	373	(428)	(15)	(4.9)	(10.6)	(2461)	(617)	(21.5)	(2)
		419	31.7	17.3	23.8	3995	567	20.1	2
8	431	(392)	(16)	(6.1)	(10.9)	(3350)	(1146)	(23.7)	(2)
		596	27	16.2	27.1	3609	753	9.1	2
9	321	(471)	(12)	(4.8)	(11.4)	(3191)	(1395)	(15.6)	(2)
		931	19.1	12.3	24.7	7500	1619	17.6	2
12	21	(925)	(8.5)	(5.9)	(15.4)	(3750)	(1381)	(23.2)	(2)
		839	19.9	15.2	24.7	7861	1719	26.9	3
13	95	(461)	(6.3)	(3.5)	(8.4)	(3905)	(1990)	(29.7)	(2)
		728	21	13.2	20.3	3987	466	12.9	2
14	29	(576)	(8.2)	(5.3)	(9.1)	(2839)	(589)	(24.2)	(2)
		748	23.3	14.2	25.2	2467	837	13.5	2
17	222	(581)	(10.6)	(4.6)	(11)	(2214)	(1337)	(24)	(2)

RP: region of provenance; n: number of plots with basal area of *F. sylvatica* larger than 80%; N: number of adult trees per hectare; Dn: mean diameter of the adult trees in cm; H: mean height of adult trees in m; G: basal area in m² ha⁻¹; Nse number of seedlings per hectare; Nsa: number of saplings per hectare; ShCov: shrub coverage in %; Rshrub: number of shrub species.